



**MIGHTY LUBE®**  
Systematic Lubrication, Inc.



# TECHNICAL DATA SHEET

## Type CNS Lubricant

Mighty Lube® Type CNS Non-Stain Lubricant is a specially designed thin film, anti-wear penetrating lubricant. Specially formulated as a non-staining lubricant, Type CNS uses synthetic ester based fluids that provide a semi-wet, thin film lubricant which will work at ambient temperatures up to 500°F. Type CNS lubricant will break down other inferior lubricants or carbons and help clean the conveyor.

Mighty Lube® Type CNS Non Stain Lubricant is a lubricant specially designed to lubricate and leave no residuals or carbons. Type CNS lubricant functions as a penetrating lubricant. The solvent acts as a penetrator carrying the base fluids to the moving parts wear points. The base fluids provide excellent film strength or corrosion protection, providing trouble free lubrication. Precise controlled ejections by Mighty Lube Systematic lubrication equipment controls the amount of lubricant used, thus eliminating under and over lubrication.

Mighty Lube lubricants and equipment are the result of years of development. Together they produce a highly technical system that provides maximum protection against wear, corrosion and insures trouble free operations without waste and downtime.

### TYPICAL SPECIFICATIONS

Pour Point °F	-65° F
Flash Point °F COC	146° F
Color	Light Amber
Lubricant Base	Ester Synthetic
Rust Preventive Properties (ASTM D665A)	No Corrosion
ISO Viscosity Grade	7
Viscosity @ 40°C (104°F)	6.4 cSt

#### DISCLAIMER:

Since we are unable to anticipate or control the conditions under which this information and our products may be used, we cannot guarantee the applicability of this information or suitability of our products in any specific application. Moreover, the products are sold without warranty, expressed or implied. Statements concerning the possible use of our products are not intended as recommendations to use our product in the infringement of any patent.

REV. 08/21/2019